



Attorney's Docket: 081295-0277116

ZW  
AF

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT APPLICATION of:

Confirmation Number: 1204

CLARKIN ET AL.

Application No.: 09/771,569

Group Art Unit: 1639

Filed: January 30, 2001

Examiner: M. TRAN

For: DRAWN MICROCHANNEL ARRAY DEVICES

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**AMENDMENT/RESPONSE TRANSMITTAL**

Transmitted herewith is an amendment/response for this application.

**FEES**

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL 50	- 55	= 0	\$ 50.00	= \$ 0.00
INDEP. 3	- 4	= 0	\$ 200.00	= \$ 0.00
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM				+ \$ 360.00 = \$ 0.00
TOTAL ADDITIONAL CLAIM FEE				\$ 0.00
GRAND TOTAL				\$ 0.00


**FEE PAYMENT**

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: March 9, 2005

PILLSBURY WINTHROP LLP  
P.O. Box 10500  
McLean, VA 22102  
(703) 905-2159

  
ROBERT C. PEREZ  
Reg. No. 39328



Corres. and Mail  
**BOX AF**

Attorney Market: 081295-0277116

REPLY UNDER 37 C.F.R. §1.116  
EXPEDITED PROCEDURE  
TECHNOLOGY CENTER ART UNIT 1639

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 1204

CLARKIN ET AL.

Application No.: 09/771,569

Group Art Unit: 1639

Filed: January 30, 2001

Examiner: TRAN, MY-CHAU

Title: DRAWN MICROCHANNEL ARRAY DEVICES

March 9, 2005

\* \* \* \* \*

AMENDMENT AFTER FINAL UNDER 37 C.F.R. 1.116

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated December 9, 2004, the date for response to which is March 9, 2005, please amend the above-identified application as follows: